



BULL LINE

YOUR STACKABLE BINS!

VIPA srl Via Vercelli 30 - 28060 Cameriano (NO) Italy
Tel. +39 0321 877505 / +39 0321 877998 / Fax +39 0321 879443
info@vipasrl.com - www.vipasrl.com



DATASHEET PUMA LINE

- Sturdy open front storage bins made of polyethylene (HDPE).
- Resistant to many types of oil, grease, acid and alkali (please ask for details).
- Temperature resistance from -40°C to $+80^{\circ}\text{C}$.
- Extremely durable and resistant.
- Vertical reinforcement ribs on the sides and back – prevents deformation, even under heavy loads.
- Suspension edge on the back for suspending from wall racks or mobile racks.
- Integrated label frames on the front.
- Supplied with 1 label each, additional labels available as accessories.
- Carrying handles on the front and back.
All round stacking rim.
Mobile racks and wall racks for suspending open fronted storage bins can be found under combinations.

BULL 1



TECHNICAL DATA

- MATERIAL: **POLYETHYLENE (HDPE)**
- EXTERNAL DIM. **L.105 P.88 H.54**
- INTERNAL DIM. **L.90 P.70 H.45**
- CAPACITY: **0,4 L.**
- WEIGHT: **0,045 Kg.**
- PACKING BY: **50 pcs.**
- TEMPERATURE RESISTANCE: **-40° C to +80°C**
- COLOUR: **Green - Grey - Red - Blue - Yellow**
- STACKABLE: **yes**
- STACKING LOAD: **3 Kg. on the lowest bin**
- MAX LOAD: **1 Kg.**
- HANDLE MODEL: **carrying handles**
- MAX SUSPENDED LOAD: **1 Kg.**
- PRODUCTION: **Injection moulding**
- USE: **for classification and storage**

BULL 2



TECHNICAL DATA

- MATERIAL: **POLYETHYLENE (HDPE)**
- EXTERNAL DIM. **L.105 P.167 H.82**
- INTERNAL DIM. **L.90 P.140 H.73**
- CAPACITY: **1 L.**
- WEIGHT: **0,095 Kg.**
- PACKING BY: **48 pcs.**
- TEMPERATURE RESISTANCE: **-40° C to +80°C**
- COLOUR: **Green -Grey - Red - Blue - Yellow**
- STACKABLE: **yes**
- STACKING LOAD: **12 Kg. on the lowest bin**
- MAX LOAD: **3 Kg.**
- HANDLE MODEL: **carrying handles**
- MAX SUSPENDED LOAD: **3 Kg.**
- PRODUCTION: **Injection moulding**
- USE: **for classification and storage**

BULL 3



TECHNICAL DATA

- ° MATERIAL: **POLYETHYLENE (HDPE)**
- ° EXTERNAL DIM. **L.144 P.237 H.123**
- ° INTERNAL DIM. **L.120 P.205 H.113**
- ° CAPACITY: **4,5 L.**
- ° WEIGHT: **0,205 Kg.**
- ° PACKING BY: **38 pcs.**
- ° TEMPERATURE RESISTANCE: **-40° C to +80°C**
- ° COLOUR: **Green - Grey - Red - Blue - Yellow**
- ° STACKABLE: **yes**
- ° STACKING LOAD: **64 Kg. on the lowest bin**
- ° MAX LOAD: **10 Kg.**
- ° HANDLE MODEL: **carrying handles**
- ° MAX SUSPENDED LOAD: **6 Kg.**
- ° PRODUCTION: **Injection moulding**
- ° USE: **for classification and storage**

BULL 4



TECHNICAL DATA

- MATERIAL: **POLYETHYLENE (HDPE)**
- EXTERNAL DIM. **L.205 P.345 H.164**
- INTERNAL DIM. **L.178 P.300 H.154**
- CAPACITY: **12 L.**
- WEIGHT: **0,555 Kg.**
- PACKING BY: **24 pcs.**
- TEMPERATURE RESISTANCE: **-40° C to +80°C**
- COLOUR: **Green - Grey - Red - Blue - Yellow**
- STACKABLE: **yes**
- STACKING LOAD: **105 Kg. on the lowest bin**
- MAX LOAD: **20 Kg.**
- HANDLE MODEL: **carrying handles**
- MAX SUSPENDED LOAD: **10 Kg.**
- PRODUCTION: **Injection moulding**
- USE: **for classification and storage**

BULL 4/D



TECHNICAL DATA

- ° MATERIAL: **POLYETHYLENE (HDPE)**
- ° EXTERNAL DIM. **L.406 P.345 H.164**
- ° INTERNAL DIM. **L.380 P.300 H.154**
- ° CAPACITY: **24 L.**
- ° WEIGHT: **0,785 Kg.**
- ° PACKING BY: **8 pcs.**
- ° TEMPERATURE RESISTANCE: **-40° C to +80°C**
- ° COLOUR: **Green - Grey - Red - Blue - Yellow**
- ° ACCESSORIES: **removable partitioning insert available**
- ° STACKABLE: **yes**
- ° STACKING LOAD: **63 Kg. on the lowest bin**
- ° MAX LOAD: **30 Kg.**
- ° HANDLE MODEL: **carrying handles**
- ° MAX SUSPENDED LOAD: **11,5 Kg.**
- ° PRODUCTION: **Injection moulding**
- ° USE: **for classification and storage**

PARTITIONING INSERT for BULL 4/D



TECHNICAL DATA

- MATERIAL: **POLYPROPYLENE (PP)**
- EXTERNAL DIM. **L.5 P.305 H.138**
- WEIGHT: **0,21 Kg.**
- PACKING BY: **1 pc.**
- TEMPERATURE RESISTANCE: **-20° C to +90°C**
- COLOUR: **Black**
- ADDITIONAL COLOURS: **available on specific and important quantities (please contact us).**
- PRODUCTION: **Injection moulding**
- USE: **for classification your goods**

BULL 5



TECHNICAL DATA

- ° MATERIAL: **POLYETHYLENE (HDPE)**
- ° EXTERNAL DIM. **L.298 P.485 H.189**
- ° INTERNAL DIM. **L.260 P.440 H.176**
- ° CAPACITY: **30 L.**
- ° WEIGHT: **1,080 Kg.**
- ° PACKING BY: **12 pcs.**
- ° TEMPERATURE RESISTANCE: **-40° C to +80°C**
- ° COLOUR: **Green - Grey - Red - Blue - Yellow**
- ° ACCESSORIES: **removable partitioning insert available**
- ° STACKABLE: **yes**
- ° STACKING LOAD: **168 Kg. on the lowest bin**
- ° MAX LOAD: **35 Kg.**
- ° HANDLE MODEL: **carrying handles**
- ° MAX SUSPENDED LOAD: **13 Kg.**
- ° PRODUCTION: **Injection moulding**
- ° USE: **for classification and storage**

PARTITIONING INSERT for BULL 5



TECHNICAL DATA

- MATERIAL: **HIGH IMPACT POLYSTYRENE (HIPS)**
- EXTERNAL DIM. **L.264 P.436 H.138**
- WEIGHT: **0,38 Kg.**
- PACKING BY: **1 pc.**
- TEMPERATURE RESISTANCE: **-20° C to +60°C**
- COLOUR: **Black**
- ADDITIONAL COLOURS: **available on specific and important quantities (please contact us).**
- PRODUCTION: **Injection moulding**
- USE: **for classification your goods**

BULL 6



TECHNICAL DATA

- MATERIAL: **POLYETHYLENE (HDPE)**
- EXTERNAL DIM. **L.372 P.600 H.250**
- INTERNAL DIM. **L.335 P.530 H.233**
- CAPACITY: **56 L.**
- WEIGHT: **1,5 Kg.**
- PACKING BY: **4 pcs.**
- PACKING BY PALLET: **60 pcs.**
- TEMPERATURE RESISTANCE: **-40° C to +80° C**
- COLOUR: **Green**
- ADDITIONAL COLOURS: **available on specific and important quantities (please contact us).**
- ACCESSORIES: **removable partitioning insert available**
- STACKABLE: **yes**
- STACKING LOAD: **120 Kg. on the lowest bin**
- MAX LOAD: **67 Kg.**
- HANDLE MODEL: **carrying handles**
- MAX SUSPENDED LOAD: **---**
- PRODUCTION: **Injection moulding**
- USE: **for classification and storage**

PARTITIONING INSERT for BULL 6



TECHNICAL DATA

- MATERIAL: **HIGH IMPACT POLYSTYRENE (HIPS)**
- EXTERNAL DIM. **L.338 P.525 H.190**
- WEIGHT: **0,72 Kg.**
- PACKING BY: **1 pc.**
- TEMPERATURE RESISTANCE: **-20° C to +60°C**
- COLOUR: **Black**
- ADDITIONAL COLOURS: **available on specific and important quantities (please contact us).**
- PRODUCTION: **Injection moulding**
- USE: **for classification your goods**

BULL 7



TECHNICAL DATA

- MATERIAL: **POLYETHYLENE (HDPE)**
- EXTERNAL DIM. **L.442 P.700 H.300**
- INTERNAL DIM. **L.400 P.620 H.279**
- CAPACITY: **92 L.**
- WEIGHT: **2,5 Kg.**
- PACKING BY: **4 pcs.**
- PACKING BY PALLET: **40 pcs.**
- TEMPERATURE RESISTANCE: **-40° C to +80° C**
- COLOUR: **Green**
- ADDITIONAL COLOURS: **available on specific and important quantities (please contact us).**
- ACCESSORIES: **removable partitioning insert available**
- STACKABLE: **yes**
- STACKING LOAD: **96 Kg. on the lowest bin**
- MAX LOAD: **105 Kg.**
- HANDLE MODEL: **carrying handles**
- MAX SUSPENDED LOAD: **---**
- PRODUCTION: **Injection moulding**
- USE: **for classification and storage**

PARTITIONING INSERT for BULL 7



TECHNICAL DATA

- MATERIAL: **HIGH IMPACT POLYSTYRENE (HIPS)**
- EXTERNAL DIM. **L.400 P.610 H.190**
- WEIGHT: **0,83 Kg.**
- PACKING BY: **1 pc.**
- TEMPERATURE RESISTANCE: **-20° C to +60°C**
- COLOUR: **Black**
- ADDITIONAL COLOURS: **available on specific and important quantities (please contact us).**
- PRODUCTION: **Injection moulding**
- USE: **for classification your goods**



BULL LINE

YOUR STACKABLE BINS!

VIPA srl Via Vercelli 30 - 28060 Cameriano (NO) Italy
Tel. +39 0321 877505 / +39 0321 877998 / Fax +39 0321 879443
info@vipasrl.com - www.vipasrl.com